

Coswick Inspire

Coswick

SUPERB STABILITY
DESIGN SOLUTIONS
ECO-FRIENDLY

Superb Stability

The image shows three layers of CosLoc 5G flooring planks. The top layer is a thick, light-colored wood with a prominent grain. The middle layer is a thinner, lighter-colored wood. The bottom layer is a thick, light-colored wood with a prominent grain. The planks are arranged in a stack, showing the interlocking joint system.

BALANCED CONSTRUCTION

Balanced 3-layer construction of the floorboard remains stable even in the wider range of environmental humidity.

- All three layers are made of hardwood, top lamella is made of oak, ash and American walnut, middle core is made of birch, the base lamella is made of oak or birch.
- Using birch as a core instead of softer pine species increases the stability of the board as birch is far more resistant to deforming.
- Upper and base lamellas have the same thickness of 3mm, which allows them to affect the core symmetrically in case of changes in the environment. This increases the balance of the construction and practically eliminates the possibility of twisting.

CORK COMPENSATORS

Usage of cork compensators in the core layer provides additional stability and balance in case of variations in the environmental humidity.

EXTRA-DURABLE POLYURETHANE GLUE

Coswick uses a special polyurethane hot-melt adhesive for bonding of its 3-layer engineered flooring planks. It is durable, moisture-resistant and highly elastic.

When compared to other types of adhesives it has several advantages:

- There is no delaminating of the board at the seams even in case of flooding.
- No "ageing" effect: bonding qualities are retained over the entire life of the floorboards.
- Environmentally friendly formulation: no formaldehydes or other harmful chemical compounds.


HIGH PERFORMANCE CosLoc 5G

Coswick 3-layer flooring utilizes Valinge 5G CosLoc click system.

Middle core is made of birch, which is harder than pine species. This leads to absence of chipping or flash and the touching surfaces do not crease during installation and use. It provides extremely durable and secure connection of the planks, eliminating creaking.

Design Solutions

- OVER 120 UNIQUE COLORS IN 4 PROTECTIVE FINISHES
- EXTENDED MOSAIC LINE: CHEVRON, HERRINGBONE, MOSAIC TILES AND PARQUETRY FLOORING
- PERFECT SOLUTIONS FOR HIGH-END PUBLIC SPACES IN ANY CLIMATE ZONE



Eco - friendly

ENVIRONMENTAL SAFETY DECLARATION

Coswick pays close attention to creating environmentally safe produce and rational use of natural resources, reaffirming this dedication with regular examinations and internationally recognized certification.

NATURAL TIMBER, ENVIRONMENTALLY SAFE MATERIALS

All Coswick products are made of natural timber. Additional materials used during manufacturing are chosen in compliance with rigorous environmental requirements. Finished products are regularly tested for formaldehyde. As for this parameter, Coswick floorboards comply with the highest safety classes in use in the EU (E1) and the USA (NAUF, ULEF). This means that the emission levels of volatile compounds do not exceed that of the emissions of the natural timber.

RESPONSIBLE FOREST USE

We only use FSC-certified and controlled timber. We acquire it from forests with ecologically and socially responsible management practices. Raw materials for floorboard manufacture are felled during forest sanitation activities thus not leading to deforestation. Ask for FSC-certified products.

WASTELESS PRODUCTION

Sawdust and trims from the manufacturing process are used as fuel for our furnace and in the production of fuel briquettes. This way our valuable raw materials are used rationally while simultaneously heating our premises without polluting atmospheric emissions.

Completely Integrated

Coswick is a European natural wood flooring manufacturer. The factory is situated in the town of Zaslavl, Belarus. Our manufacturing process is fully integrated. This allows for complete control of production in its entirety, from the purchase of raw timber to finished product, guaranteeing high-quality produce. All operations are made using state-of-the-art machinery.

We use our knowledge and experience, invest into new technologies and innovations, all to ensure that Coswick floorboards meet every requirement for modern floorboard design; ensure their reliability and longevity, environmental safety and ease-of-use.

COSWICK PRODUCTION PROGRAM

The main products of Coswick are the 3-layer engineered board, chevron and herringbone, uniblock, parquetry and mosaic flooring. Coswick also manufactures sports floors, decorative wall & ceiling panels, acoustic paneling systems as well as a complete line of care and maintenance products under the trademark Coswick Coating & Adhesives.

1 000 000 sq. m.

Coswick's manufacturing capacity is at 1,000,000 sq.m. of floorboards per annum. Around 90% of produce is exported globally. Coswick dealer network encompasses almost 50 countries. Amongst them: Canada, the US, Germany, Poland, Russia, Belarus, Ukraine, Azerbaijan, Kazakhstan, Baltic States, Gulf States, China, Australia and many others. Coswick Team numbers 700 people.

Coswick Hardwood Floors

PLANK FLOORING

Classic Collection.....	14
Brushed & Oiled Collection.....	16
Country Collection.....	18
Signature Collection.....	20
Heritage Collection.....	22
Arts & Crafts Collection.....	24
Wide Plank Flooring.....	26

MOSAIC FLOORING

Chevron Collection	30
Herringbone Collection.....	34
Spirit of Nature Collection.....	40
Mosaic Flooring.....	44
Parquetry Flooring.....	50

SPORTS FLOORING


Tournament Pro Sport.....	55
Tournament Sport.....	55
Matrix Sport.....	55
Fitness Board.....	55
Portable Mosaic Dance.....	55

WOOD WALL PANELS


Acoustic Wall Panels.....	58
Decorative Wall Panels.....	60

TECHNICAL INFORMATION

Technologies.....	64
Finishing Systems.....	66
Grades.....	68
Technical Information.....	70
Moldings.....	75
Floor Care Products.....	76






- | Classic Collection
- | Brushed & Oiled Collection
- | Country Collection
- | Signature Collection
- | Heritage Collection
- | Arts & Crafts Collection
- | Wide Plank Flooring





CLASSIC COLLECTION

FINISH


-  Lacquer finish
-  Silk finish
-  Silk mat finish

GRADE



- S&B** Select & Better
- 1N** 1 Natur
- Trad** Traditional

CONSTRUCTION

3-layer T&G engineered flooring



3-layer single strip flooring CosLoc 5G





BRUSHED & OILED COLLECTION

FINISH

- 🔥 Silk finish
- 🔥 Silk mat finish

GRADE


- S&B** Select & Better
- 1C** 1 Common
- 1N** 1 Natur
- Char** Character

CONSTRUCTION

3-layer T&G engineered flooring



3-layer single strip flooring CosLoc 5G



2.1 | WHITE FROST | OAK

🔥 S&B




2.2 | GREY CLOUD | ASH

🔥 Char



2.3 | NORWEGIAN MOSS | ASH

🔥 S&B



2.4 | NORMAN BREEZE | ASH

🔥 1C 1N




2.5 | FRENCH RIVIERA | ASH

🔥 1C 1N



2.6 | CANADIAN CEDAR | ASH

🔥 1C Char




2.7 | VANILLA | OAK

🔥 S&B



2.8 | NATURAL | OAK

🔥 S&B




2.9 | CHESTNUT | OAK

🔥 S&B




2.10 | CHABAUD | OAK

🔥 S&B



2.11 | CINNAMON | OAK

🔥 S&B



2.12 | MOCCA | ASH

🔥 1C Char

COUNTRY COLLECTION

FINISH


- 🔥 Silk finish
- 🔥 Silk mat finish

GRADE



- 1C** 1 Common
- Tav** Tavern
- 1N** 1 Natur
- Char** Character

CONSTRUCTION

3-layer T&G engineered flooring



3-layer single strip flooring CosLoc 5G





SIGNATURE COLLECTION

FINISH


- ◆ Lacquer mat finish
- ◆ Silk mat finish

GRADE

- S&B** Select & Better
- Char** Character
- 1 N** Natur

CONSTRUCTION

3-layer T&G engineered flooring




3-layer single strip flooring CosLoc 5G



4.1 | ALBATROSS | OAK

◆ **S&B**



4.2 | PEARL GREY | ASH

◆ **S&B**



4.3 | AQUA WHITE | OAK

◆ **S&B Char**



4.4 | ATLANTIC | ASH

◆ **S&B 1N**




4.5 | DAVY'S GREY | OAK

◆ **S&B Char**




4.6 | PAYNE'S GREY | OAK

◆ **S&B Char**




4.7 | TITANIUM BUFF | OAK

◆ **S&B Char**




4.8 | SANDY | OAK

◆ **S&B**




4.9 | RAW SIENNA | OAK

◆ **S&B Char**




4.10 | SPINEL GREY | OAK

◆ **S&B Char**



4.11 | TIGER EYE | ASH

◆ **1N**



4.12 | STONEY CREEK | OAK

◆ **S&B**



HERITAGE COLLECTION

FINISH


- 🔥 Silk finish
- 🔥 Silk mat finish

GRADE


- 1C** 1 Common
- Tav** Tavern
- 1N** 1 Natur
- Char** Character

CONSTRUCTION


3-layer T&G engineered flooring



3-layer single strip flooring CosLoc 5G




5.1 | CRYSTAL WHITE | OAK 🔥 Tav Char



5.2 | ANTIQUE PATINA | OAK 🔥 Tav Char




5.3 | INDIGO | OAK 🔥 Tav Char



5.4 | IVORY | OAK 🔥 Tav Char



5.5 | GREY VELVET | OAK 🔥 Tav Char



5.6 | GRAPE SEED | OAK 🔥 Tav Char




5.7 | GREY CASHMERE | OAK 🔥 Tav Char




5.8 | PASTEL | OAK 🔥 1C 1N



5.9 | FRENCH GOBELIN | OAK 🔥 Tav Char



5.10 | BARN | OAK 🔥 Tav Char



5.11 | STRAW | OAK 🔥 Tav Char



5.12 | RAUCHTOPAZ | OAK 🔥 Tav Char

ARTS & CRAFTS COLLECTION

FINISH


🔥 Silk mat finish

GRADE

Char Character

CONSTRUCTION

3-layer T&G engineered flooring



6.1 | BARCELONA | OAK

🔥 Char




6.2 | BATISTE | OAK

🔥 Char



6.3 | MISTY FJORDS | OAK

🔥 Char



6.4 | VIENNA | OAK

🔥 Char




6.5 | MARSEILLE | OAK

🔥 Char




6.6 | EDINBURGH | OAK

🔥 Char




6.7 | HELSINGBORG | OAK

🔥 Char



6.8 | BERGEN | OAK

🔥 Char



6.9 | GENEVA | OAK

🔥 Char




6.10 | OLD VENICE | OAK

🔥 Char



6.11 | BIRMINGHAM | OAK

🔥 Char



6.12 | LONDON | OAK

🔥 Char



WIDE PLANK FLOORING

FINISH


🔥 Silk mat finish

GRADE

Char Character

CONSTRUCTION

3-layer T&G engineered flooring



7.1 | SNOWDROP | OAK

🔥 Char




7.2 | VANILLA | OAK

🔥 Char



7.3 | BATISTE | OAK

🔥 Char



7.4 | GRAPE SEED | OAK

🔥 Char




7.5 | MARSEILLE | OAK

🔥 Char




7.6 | OLD VENICE | OAK

🔥 Char




7.7 | NATURAL | OAK

🔥 Char



7.8 | NATURAL | A. WALNUT


🔥 Char



7.9 | MILK CHOCOLATE | OAK

🔥 Char


DOVETAIL



7.10 | NATURAL | OAK




🔥 Char

- | Chevron Collection
- | Herringbone Collection
- | Mosaic Flooring
- | Parquetry Flooring



CHEVRON COLLECTION T&G

FINISH



-  Lacquer finish
-  Silk finish
-  Silk mat finish

GRADE

- S&B** Select & Better
- 1C** 1 Common
- Tav** Tavern
- Trad** Traditional

CONSTRUCTION

3-layer T&G engineered flooring



CHEVRON COLLECTION T&G

FINISH



- 🔥 Silk finish
- 🔥 Silk mat finish

GRADE

- S&B** Select & Better
- 1C** 1 Common
- 1N** 1 Natur


CONSTRUCTION

3-layer T&G engineered flooring



9.1 | AQUA WHITE | OAK

🔥 S&B



9.2 | DAWY'S GREY | OAK

🔥 S&B




9.3 | PEYNE'S GREY | OAK

🔥 S&B




9.4 | CHAMBORD | OAK

🔥 1C




9.5 | SUNSET | A. WALNUT

🔥 1N




9.6 | SPINEL GREY | OAK

🔥 S&B




9.7 | TITANIUM BUFF | OAK

🔥 S&B




9.8 | RAW SIENNA | OAK

🔥 S&B



9.9 | FOGGY DAWN | A. WALNUT

🔥 1N






9.10 | FRENCH RIVIERE | ASH

🔥 1C



HERRINGBONE COLLECTION

FINISH


-  Lacquer finish
-  Silk finish
-  Silk mat finish


GRADE

- S&B** Select & Better
- 1C** 1 Common
- Tav** Tavern
- 1N** 1 Natur



CONSTRUCTION

3-layer T&G engineered flooring




10.1 | ALPINE | OAK  **Tav**




10.2 | WHITE FROST | OAK   **S&B**



10.3 | MOONLIGHT | ASH  **S&B**



10.4 | ATLANTIC | ASH  **S&B**




10.5 | NORMAN BREEZE | ASH  **1C**





10.6 | FRENCH RIVIERE | ASH  **1C**





10.7 | ROCKY REEF | OAK  **Tav**




10.8 | CHAMBORD | OAK  **1C**






10.9 | SUNSET | A.WALNUT  **1N**



10.10 | FOGGY DAWN | A.WALNUT  **1N**

HERRINGBONE COLLECTION

FINISH


-  Lacquer finish
-  Silk finish
-  Silk mat finish

GRADE

- S&B** Select & Better
- 1C** 1 Common
- Tav** Tavern
- Trad** Traditional

CONSTRUCTION

3-layer T&G engineered flooring



11.1 | VANILLA | OAK




S&B



11.2 | GREY CASHMERE | OAK




Tav



11.3 | PASTEL | OAK




S&B 1C



11.4 | CHESTNUT | OAK




S&B



11.5 | NATURAL | A. WALNUT




Trad



11.6 | NATURAL | A. WALNUT




S&B



11.7 | MILK CHOCOLATE | OAK




1C



11.8 | MOCCA | ASH



1C



11.9 | CHARCOAL | OAK



Tav

HERRINGBONE COLLECTION

FINISH


🔥 Silk mat finish

GRADE

S&B Select & Better


CONSTRUCTION

3-layer T&G engineered flooring




12.1 | AQUA WHITE | OAK

🔥 S&B



12.2 | TITANIUM BUFF | OAK

🔥 S&B




12.3 | RAW SIENNA | OAK

🔥 S&B




12.4 | PAYNE'S GREY | OAK

🔥 S&B



12.5 | DAVY'S GREY | OAK

🔥 S&B



12.6 | SPINEL GREY | OAK

🔥 S&B

SPIRIT OF NATURE COLLECTION COFFEE BEAN

FINISH

- 🔥 Silk mat finish
- 🔥 Silk finish



GRADE

S&B Select & Better


CONSTRUCTION

3-layer T&G engineered flooring

COFFEE BEAN




13.1 | KYOTO | OAK 🔥 S&B




13.2 | SHIBUMI | OAK 🔥 S&B




13.3 | KATANA | OAK 🔥 S&B




13.4 | OKINAWA | OAK 🔥 S&B



13.5 | HAIKU | OAK 🔥 S&B



13.6 | FUJI | OAK 🔥 S&B



13.7 | NATURAL | A. WALNUT 🔥 S&B



13.8 | BONSAI | OAK 🔥 S&B

SPIRIT OF NATURE COLLECTION TEALEAF

FINISH

- 🔥 Silk mat finish
- 🔥 Silk finish


GRADE

S&B Select & Better

CONSTRUCTION

3-layer T&G engineered flooring

TEALEAF



14.1 | KYOTO | OAK

🔥 S&B




14.2 | SHIBUMI | OAK

🔥 S&B



14.3 | KATANA | OAK

🔥 S&B




14.4 | OKINAWA | OAK

🔥 S&B




14.5 | HAIKU | OAK

🔥 S&B



14.6 | FUJI | OAK

🔥 S&B



14.7 | NATURAL | A. WALNUT

🔥 S&B



14.8 | BONSAI | OAK

🔥 S&B

SPIRIT OF NATURE COLLECTION MOSAIC FLOORING

FINISH


🔥 Silk mat finish

GRADE

S&B Select & Better

CONSTRUCTION

3-layer T&G engineered flooring



15.1 | VANILLA | OAK

🔥 S&B



15.2 | MARSEILLE | OAK

🔥 S&B



15.3 | FOGGY DAWN | A. WALNUT

🔥 S&B




15.4 | SPINEL GREY | OAK
AQUA WHITE | OAK
DAVY'S GREY | OAK

🔥 S&B



15.5 | KATANA | OAK

🔥 S&B



15.6 | NATURAL | A. WALNUT

🔥 S&B

MOSAIC FLOORING

FINISH

- 🔥 Silk finish
- 🔥 Silk mat finish


GRADE

- S&B** Select & Better
- Trad** Traditional



CONSTRUCTION

3-layer T&G engineered flooring

VERSAILLES



TRIANON



MOSAIC FLOORING

FINISH

- 🔥 Silk finish
- 🔥 Silk mat finish


GRADE

- S&B** Select & Better
- Trad** Traditional


CONSTRUCTION

3-layer T&G engineered flooring

TATTERSHAL



BLOIS



18.1 | TITANIUM BUFF | OAK



18.2 | DAVY'S GREY | OAK



18.3 | SHIBUMI | OAK



18.4 | CEDAR | OAK



18.5 | NATURAL | A. WALNUT



18.6 | NATURAL | A. WALNUT



19.1 | TITANIUM BUFF | OAK




19.2 | DAVY'S GREY | OAK




19.3 | SHIBUMI | OAK



19.4 | CEDAR | OAK



19.5 | NATURAL | A. WALNUT



19.6 | NATURAL | A. WALNUT





PARQUETRY

FINISH

🔥 Silk Oil

GRADE

S&B Select & Better

Tav Tavern

Trad Traditional


CONSTRUCTION

3-layer engineered flooring

TILE



PYRAMID



20.1 | WHITE FROST | OAK

🔥 **S&B**



20.2 | CHAMBORD | OAK

🔥 **Tav**




20.3 | ROCKY REEF | OAK

🔥 **Tav**




20.4 | GREY CASHMERE | OAK

🔥 **Tav**



20.5 | PASTEL | OAK

🔥 **S&B**




20.6 | NATURAL | A. WALNUT

🔥 **S&B**



20.7 | NATURAL | A. WALNUT

🔥 **Trad**



20.8 | MILK CHOCOLATE | OAK

🔥 **Tav**

- | Tournament Pro Sport
- | Tournament Sport
- | Matrix Sport
- | Fitness Board
- | Portable Mosaic Dance

“A big part of my life is spent on sports hardwood floors and I know it too well how important performance of sports flooring for professional athletes.”

Anastasiya Verameyenka,
a famous Belarusian basketball player



SPORTS AND EVENTS FLOORING

Coswick line of sports hardwood floors consists of 5 construction types designed for:

- Sports areas for training and running competitions on all levels, including international tournaments in volleyball, basketball, handball, squash etc.
- All-purpose spaces for sports, training, including for team sports.
- Gyms and fitness centers, yoga and aerobics studios, dance halls and choreography studios.
- Temporary floor covering solutions for sport dance competitions, exhibits, fashion shows and other public events.

Coswick sports flooring is designed in full compliance with the norms and standards for sports flooring manufacturing (European standard EN 14904, German DIN 18032-2) and ensures safety, comfort and effectiveness for training and competitions of any kind.



TOURNAMENT PRO SPORT



TOURNAMENT SPORT



MATRIX SPORT



FITNESS BOARD



PORTABLE MOSAIC DANCE

FEATURES OF COSWICK SPORTS FLOORING

TECHNICAL CHARACTERISTIC	Sports Flooring Construction Type				
	TOURNAMENT PRO SPORT	TOURNAMENT SPORT	MATRIX SPORT	FITNESS BOARD	PORTABLE MOSAIC DANCE
Type of floor	Area-Elastic A4 (EN 14904)	Area-Elastic A4 (EN 14904)	Area-Elastic A4 (EN 14904)	Area-Elastic A4 (EN 14904)	Area-Elastic A4 (EN 14904)
Construction height, mm	71	53	42	30	30
Species	Oak, Ash	Oak, Ash	Oak, Ash	Oak, Ash	Oak
Hardwood flooring dimensions, mm	82,55 x 300...1845	82,55 x 300...1845	127 x 600...2100	127 x 600...2100	570 x 570
Hardwood flooring thickness, mm	19,05	19,05	15	15	19,05
Color / Finish	Natural / Resilient Sport Lacquer finish	Natural / Resilient Sport Lacquer finish	Natural / Resilient Sport Lacquer finish	Natural / Silk finish	Natural / Silk finish
Shock absorption, %	66 EN 14808 (A4 ≥ 55% < 75%)	64 EN 14808 (A4 ≥ 55% < 75%)	60 EN 14808 (A4 ≥ 55% < 75%)	59 EN 14808 (A4 ≥ 55% < 75%)	-
Vertical deformation, mm	3,5 EN 14809 (A4 ≥ 2,3 < 5)	3,1 EN 14809 (A4 ≥ 2,3 < 5)	2,8 EN 14809 (A4 ≥ 2,3 < 5)	3,8 EN 14809 (A4 ≥ 2,3 < 5)	-
Friction, nominal unit	94 EN 13036-4 (80-110)	94 EN 13036-4 (80-110)	97 EN 13036-4 (80-110)	93 EN 13036-4 (80-110)	89 EN 13036-4 (80-110)
Ball bounce, %	91 EN 12235 (≥ 90%)	93 EN 12235 (≥ 90%)	94 EN 12235 (≥ 90%)	99 EN 12235 (≥ 90%)	-
Rolling load, mm	0,21 EN 1569 (≤ 0,5 mm, min. 1500 N)	0,21 EN 1569 (≤ 0,5 mm, min. 1500 N)	0,15 EN 1569 (≤ 0,5 mm, min. 1500 N)	0,28 EN 1569 (≤ 0,5 mm, min. 1500 N)	0,3 EN 1569 (≤ 0,5 mm, min. 1500 N)

- | Acoustic Wall Panels
- | Decorative Wall Panels







ACOUSTIC WALL PANELS

SHEEN


Matte

CONSTRUCTION


Veneered on MDF base T&G



30/2/Ø10 | 30/2/Ø8




29/3/Ø10 | 29/3/Ø8R




Ø8



14/2/Ø10 | 14/2/Ø8



13/3/Ø10 | 13/3/Ø8



Ø6




COSWICK ACOUSTIC 30/2



COSWICK ACOUSTIC 14/2



COSWICK ACOUSTIC 16/16





DECORATIVE WALL PANELS

SHEEN

Matte

CONSTRUCTION

Veneered on MDF base T&G




21.1 | MOONLIGHT | ASH




21.2 | PEARL GREY | ASH




21.3 | CHAMBORD | OAK




21.4 | VANILLA | OAK




21.5 | PASTEL | OAK




21.6 | TIGER EYE | ASH




21.7 | NATURAL | OAK




21.8 | CHESTNUT | OAK



21.9 | MOCCA | ASH



21.10 | STONEY CREEK | OAK



21.11 | NATURAL | A. WALNUT



21.12 | CLASSIC | A. WALNUT

- | Technologies
- | Finishing Systems
- | Grades
- | Technical Information
- | Moldings
- | Floor Care Products

3-layer T&G Engineered Flooring



THICKNESS, mm	15	15	19,05	19,05	19,05
TOP LAMELLA THICKNESS, mm	3,2	3,2	3,2	3,2	3,2
WIDTH, mm	127	190	127	190	300
LENGTH, mm	600...2100	600...2100	600...2100	600...2100	2950
MICROBEVEL, mm	0,5	0,5	0,5	0,5	1
AVERAGE LENGTH, m	1,0	1,0	1,0	1,22	2,95
FOOTAGE PER BOX, m ²	2,0	2,26	2,0	1,86	1,77

3-LAYER T&G ENGINEERED FLOORING

- Finely balanced and symmetrical 3-layer construction retains its size in a wider range of environmental humidity.

All three layers are made of hardwood timber: top lamella from oak, ash or American walnut, middle core from birch and base lamella from oak or birch. Using birch as a core instead of softer pine species increases the stability of the board as birch is far more resistant to deforming.

Top and base lamellas have the same thickness of 3mm, which allows them to affect the core symmetrically in case of changes in the environment. This increases the balance of the construction and practically eliminates the possibility of twisting.

Usage of cork compensators in the core layer decreases straining in case of variations in the environmental humidity, providing additional stability.

- Durable and secure traditional tongue & groove lock. Precise geometry and use of birch in the middle core layer ensures absence of chips and creases on the touching surfaces as well as eliminates creaking.
- Sawed lamella is used for the top layer, which excludes any possibilities of internal cracking. Sawed lamella's texture is identical to the texture of a solid board.


- Extra-durable bonding of lamellas using special polyurethane hot-melt adhesive. It is extremely strong, moisture-resistant and highly elastic. There is no delaminating of the board at the seams even in case of flooding and no "ageing" effect: bonding qualities are retained over the entire life of the floorboards.

- Environmental safety: no formaldehyde emissions.

- Reliability and longevity of the construction is reaffirmed by a lifelong structural integrity guarantee.

INSTALLATION

- 3-layer T&G engineered floorboard can be installed below, on or above ground level.
- Can be installed on heated floors.
- Installed through rigid positioning over concrete using adhesive or on wooden (plywood) base using nails.



3-layer Single Strip Flooring CosLoc 5G



THICKNESS, mm	15	15
TOP LAMELLA THICKNESS, mm	3,2	3,2
WIDTH, mm	127	190
LENGTH, mm	600...2100	2100
MICROBEVEL, mm	0,5	0,5
AVERAGE LENGTH, m	1,0	2,1
FOOTAGE PER BOX, m ²	2,0	2,4

3-LAYER COSLOC ENGINEERED FLOORING

- Finely balanced and symmetrical 3-layer construction retains its size in a wide range of environmental humidity.

All three layers are made of hardwood timber: top lamella from oak, ash or American walnut, middle core from birch and base lamella from oak or birch.

Using birch as a core instead of softer pine species increases the stability of the board as birch is far more resistant to deforming.

Top and base lamellas have the same thickness of 3mm, which allows them to affect the core symmetrically in case of changes in the environment. This increases the balance of the construction and practically eliminates the possibility of twisting.

Usage of cork compensators in the core layer decreases straining in case of variations in the environmental humidity, providing additional stability.

- Valinge 5G CosLoc click system. Precise geometry and use of birch in the middle core layer ensures absence of chips and creases on the touching surfaces, and it also eliminates creaking.
- Easy and quick installation, reliable floorboard connection without gaps.
- Sawed lamella is used for the top layer, which excludes any possibilities of internal cracking. Sawed lamella's texture is identical to the texture of a solid board.


- Extra-durable bonding of lamellas using special polyurethane hot-melt adhesive. It is extremely strong, moisture-resistant and highly elastic. There is no delaminating of the board at the seams even in case of flooding and no "ageing" effect: bonding qualities are retained over the entire life of the floorboards.

- Environmental safety: no formaldehyde emissions.


- Reliability and longevity of the construction is reaffirmed by a lifelong structural integrity guarantee.

INSTALLATION


- 3-layer CosLoc engineered floorboard can be installed below, on or above ground level.
- Can be installed on heated floors.
- Installed on soft base without glue or nails. Planks locked from all four sides. If necessary, click locked planks could be installed again in a different room.



Coswick Lacquer finish



Coswick Silk finish



CHARACTERISTICS	TYPE OF FLOORING FINISH			
	Lacquer finish	Lacquer mat finish	Silk finish	Silk mat finish
CLASS OF MATERIALS	UV-cured polyurethane acrylates	UV-cured polyurethane acrylates	UV-cured modified oil-acrylates	UV-cured modified oil-acrylates
SURFACE TYPE	Closed pores	Closed pores	Semi-closed pores, wire brushed	Semi-closed pores, wire brushed
GLOSS LEVEL	Semigloss or matte	Matte	Silk matte	Ultra matte
WEAR-RESISTANCE	Very high	Very high	High	High
RESISTANCE TO CHEMICALS	Very high	Very high	Very high	High
CARE AND MAINTENANCE	Regular care	Regular care	Regular care, restorative care, finish renewal	Regular care, restorative care, finish renewal
REPAIRABILITY	Low	Low	Medium	Medium
RANGE OF USE	Residential and commercial	Residential and commercial	Residential and commercial	Residential and commercial
FINISH WARRANTY	25 years for residential, 35 years for residential (for commercial finish)	25 years	-	-

Coswick Lacquer finish

TECHNOLOGY

Lacquer finish is 12 coats of UV-cured lacquer with corundum micro-particles. This innovative technology creates a perfectly smooth surface with closed pores and provides for an extremely high wear-resistant finish.

FEATURES

The key defining feature of Lacquer finish is its extreme durability. It is achieved through the use of special primers containing corundum micro-particles. These primers provide the finish with unique wear-resistance, which surpasses that of the traditional polyurethane varnishes tenfold.

The upper coat of the lacquer is based on the cross-linked polymers, a new material created using nanotechnologies. It gives the finish a special wear-resistance to chafing while retaining high elasticity.

ECOLOGY

Eco-friendly finish without solvents or volatile compounds.

CARE & MAINTENANCE

Apart from regular care, lacquer finish does not entail any maintenance or restoration for many years.

Coswick Silk finish

TECHNOLOGY

Coswick Silk Finish is an innovative deep penetrating UV-cured finish based on modified plant-oil acrylates applied in 4 layers.

Silk Finish easily penetrates surface pores of the wood and cures under UV-lights forming a durable film. The pores look half-open and accentuate the natural texture of the wood. The wood continues to breath retaining a healthy micro-climate in the room.

FEATURES

Coswick Silk Finish is highly elastic and moisture- and temperature fluctuation resistant, it protects the floorboards from dirt and scuffing. The "half-open" effect on the pores and the brushing technology conveys the relief, depth and natural texture of the boards. Silk Finish surface is just as warm and pleasant to the touch as natural, untreated wood.

Faint satin sheen and texture conceals marks, dents and scratches, facilitating maintenance.

ECOLOGY

Environmentally friendly finish made from modified plant oils does not contain solvents or harmful compounds.

CARE & MAINTENANCE

The finish does not require complex maintenance, restores easily and renews during use which prolongs its service life almost indefinitely. Regular maintenance includes dry and wet cleaning using Coswick care products for oiled floorboards. Parts affected by most stress can be easily restored with Coswick renovation oil for floors. The product is applied directly over the old layer without sanding. Afterwards the finish restores its original look and durability.

Depending on the wear, partial restoration of hardwood flooring in living spaces should be made 1-2 a year, full renewal is recommended every 3-5 years.

Select & Better (S&B)



Select and Better is the cleanest grade of hardwood. Grain texture is uniform and characterised by mild color and texture variations. Occasional non-contrasting carefully restored imperfections (10 mm or smaller) are admitted since they do not stand out against the floor surface.

1 Natur (1N)



When stained, wood surface appears uniform in shade and texture, making wood imperfections barely discernible. Color variation is prominent, though. Small burls, light brown streaks, restored knots up to 35 mm, properly filled open checks and worm holes, slight imperfections in face work (torn grain) and burns are admitted. 1 Natur is classifying plank floors 190 mm wide. This is a tasteful choice when reasonable natural variation is expected.

1 Common (1C)



When stained, wood surface appears uniform in shade and texture, making wood imperfections barely discernible. Color variation is prominent, though. Small burls, light brown streaks, restored knots up to 25 mm, properly filled open checks and worm holes, slight imperfections in face work (torn grain) and burns are admitted. In general, 1 Common is a tasteful floor where natural variation is expected.

Character (Char)



Open splits and knots create the effect of antique wood and emphasize authentic oak texture. Character grade is used to classify wide plank floors 190 mm wide. The face of a plank may contain diverse color variation, sapwood, unlimited burls, brown streaks, tight knots and properly filled open knots, as well as worm holes. Imperfections in the face work (torn grain) and burns are admitted.

Tavern (Tav)



The face of a plank may contain diverse color variation, sapwood, unlimited burls, brown streaks, tight knots and properly filled open knots, as well as worm holes. Imperfections in the face work (torn grain) and burns are admitted. Knots and other imperfections are used to design advantage though, when intentionally highlighted in order to bring attention to the natural beauty and uniqueness of oak grain texture.

Technical Information

S&B Select & Better Char Character
 1C 1 Common 1N 1 Natur
 Tav Tavern Trad Traditional

CLASSIC COLLECTION

COLOR	FINISH	GRADE	3-layer T&G engineered flooring			3-layer single strip flooring CosLoc 5G
			15 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 190 × 600...2100 mm Footage per pack 1.86 m ²	15 × 127 × 600...2100 mm Footage per pack 2.0 m ²
NATURAL	Lacquer finish	S&B	1167-1101	1154-1101		1153-1101
ROSE	Lacquer finish	S&B	1167-1102	1154-1102		1153-1102
CHESTNUT	Lacquer finish	S&B	1167-1104	1154-1104		1153-1104
WALNUT	Lacquer finish	S&B	1167-1106	1154-1106		1153-1106
VANILLA	Lacquer finish	S&B	1167-1108	1154-1108		1153-1108
MOONLIGHT	Lacquer finish	S&B	1267-1136	1254-1136		1253-1136
MOONLIGHT	Silk finish	S&B	1267-1236	1254-1236	1263-1236	1253-1236
LAVENDER	Silk mat finish	S&B	1267-1580	1254-1580	1263-1580	1253-1580
SUNSET	Silk mat finish	1N	1367-3566	1354-3566	1363-3566	1353-3566
FOGGY DAWN	Silk mat finish	1N	1367-3510	1354-3510	1363-3510	1353-3510
NATURAL	Lacquer finish	S&B	1367-1101	1354-1101	1363-1101	1353-1101
NATURAL	Silk finish	S&B	1367-1201	1354-1201	1363-1201	1353-1201
NATURAL	Lacquer finish	Trad	1367-3101	1354-3101	1363-3101	1353-3101
NATURAL	Silk finish	Trad	1367-3201	1354-3201	1363-3201	1353-3201
CLASSIC	Lacquer finish	1N	1367-3161	1354-3161	1363-3161	1353-3161
CLASSIC	Silk finish	1N	1367-3261	1354-3261	1363-3261	1353-3261

BRUSHED & OILED COLLECTION

COLOR	FINISH	GRADE	3-layer T&G engineered flooring			3-layer single strip flooring CosLoc 5G
			15 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 190 × 600...2100 mm Footage per pack 1.86 m ²	15 × 127 × 600...2100 mm Footage per pack 2.0 m ²
NATURAL	Silk finish	S&B	1167-1201	1154-1201		1153-1201
CHESTNUT	Silk finish	S&B	1167-1204	1154-1204		1153-1204
CINNAMON	Silk mat finish	S&B	1167-1565	1154-1565		1153-1565
VANILLA	Silk mat finish	S&B	1167-1508	1154-1508		1153-1508
WHITE FROST	Silk finish	S&B	1167-1258	1154-1258		1153-1258
CHABAUD	Silk finish	S&B	1167-1259	1154-1259		1153-1259
GREY CLOUD	Silk mat finish	Char			1263-7584	
CANADIAN CEDAR	Silk mat finish	1C/Char*	1267-3562	1254-3562	1263-7562*	
FRENCH RIVIERA	Silk finish	1C/1N*	1267-3257	1254-3257	1263-3257*	
NORMAN BREEZE	Silk finish	1C/1N*	1267-3232	1254-3232	1263-3232*	
MOCCA	Silk finish	1C/Char*	1267-3243	1254-3243	1263-7243*	
NORWEGIAN MOSS	Silk mat finish	S&B	1267-1534	1254-1534	1263-1534	

COUNTRY COLLECTION

COLOR	FINISH	GRADE	3-layer T&G engineered flooring				3-layer single strip flooring CosLoc 5G
			15 × 127 × 600...2100 mm Footage per pack 2.0 m ²	15 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 190 × 600...2100 mm Footage per pack 1.86 m ²	15 × 127 × 600...2100 mm Footage per pack 2.0 m ²
NATURAL	Silk finish	1C/1N*	1167-3201	1172-3201*	1154-3201	1163-3201*	1153-3201
CHESTNUT	Silk finish	1C/1N*	1167-3204	1172-3204*	1154-3204	1163-3204*	1153-3204
BROWN SUGAR	Silk mat finish	1C/1N*	1167-3529	1172-3529*	1154-3529	1163-3529*	1153-3529
MILK CHOCOLATE	Silk finish	1C/1N*	1167-3217	1172-3217*	1154-3217	1163-3217*	1153-3217
CHAMBORD	Silk finish	1C/1N*	1167-3215	1172-3215*	1154-3215	1163-3215*	1153-3215
ALPINE	Silk mat finish	Tav/Char*	1167-4578	1172-7578*	1154-4578	1163-7578*	1153-4578
SNOWDROP	Silk mat finish	Tav/Char*	1167-4593	1172-7593*	1154-4593	1163-7593*	1153-4593
CEDAR	Silk finish	Tav/Char*	1167-4281	1172-7281*	1154-4281	1163-7281*	1153-4281
KYOTO	Silk mat finish	Tav/Char*	1167-4577	1172-7577*	1154-4577	1163-7577*	1153-4577
ROCKY REEF	Silk finish	Tav/Char*	1167-4230	1172-7230*	1154-4230	1163-7230*	1153-4230
SHIBUMI	Silk mat finish	Tav/Char*	1167-4582	1172-7582*	1154-4582	1163-7582*	1153-4582
GREY ASH	Silk mat finish	1N		1172-3503		1163-3503	

SIGNATURE COLLECTION

COLOR	FINISH	GRADE	3-layer T&G engineered flooring				3-layer single strip flooring CosLoc 5G
			15 × 127 × 600...2100 mm Footage per pack 2.0 m ²	15 × 190 × 600...2100 mm Footage per pack 2.26 m ²	19.05 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 190 × 600...2100 mm Footage per pack 1.86 m ²	15 × 127 × 600...2100 mm Footage per pack 2.0 m ²
SANDY	Lacquer mat finish	S&B			1154-1323		1153-1323
STONEY CREEK	Lacquer mat finish	S&B			1154-1325		1153-1325
ALBATROSS	Lacquer mat finish	S&B			1154-1322		1153-1322
AQUA WHITE	Silk mat finish	S&B/Char*		1172-7542*	1154-1542	1163-7542*	1153-1542
PAYNE'S GREY	Silk mat finish	S&B/Char*		1172-7591*	1154-1591	1163-7591*	1153-1591
DAVY'S GREY	Silk mat finish	S&B/Char*		1172-7555*	1154-1555	1163-7555*	1153-1555
SPINEL GREY	Silk mat finish	S&B/Char*		1172-7567*	1154-1567	1163-7567*	1153-1567
RAW SIENNA	Silk mat finish	S&B/Char*		1172-7509*	1154-1509	1163-7509*	1153-1509
TITANIUM BUFF	Silk mat finish	S&B/Char*		1172-7531*	1154-1531	1163-7531*	1153-1531
PEARL GREY	Silk mat finish	S&B	1267-1545		1254-1545	1263-1545	1253-1545
TIGER EYE	Silk mat finish	1N	1267-1544			1263-3544	
ATLANTIC	Silk mat finish	S&B/1N*	1267-1539		1254-1539	1263-3539*	1253-1539

HERITAGE COLLECTION

COLOR	FINISH	GRADE	3-layer T&G engineered flooring				3-layer single strip flooring CosLoc 5G
			15 × 127 × 600...2100 mm Footage per pack 2.0 m ²	15 × 190 × 600...2100 mm Footage per pack 2.26 m ²	19.05 × 127 × 600...2100 mm Footage per pack 2.0 m ²	19.05 × 190 × 600...2100 mm Footage per pack 1.86 m ²	15 × 127 × 600...2100 mm Footage per pack 2.0 m ²
PASTEL	Silk finish	1C / 1N*		1172-3247*	1154-3247	1163-3247*	1153-3247
ANTIQUE PATINA	Silk finish	Tav/Char*	1167-4250	1172-7250*	1154-4250	1163-7250*	1153-4250
GREY CASHMERE	Silk finish	Tav/Char*	1167-4251	1172-7251*	1154-4251	1163-7251*	1153-4251
FRENCH GOBELIN	Silk finish	Tav/Char*	1167-4249	1172-7249*	1154-4249	1163-7249*	1153-4249
BARN	Silk mat finish	Tav/Char*	1167-4514	1172-7514*	1154-4514	1163-7514*	1153-4514
INDIGO	Silk mat finish	Tav/Char*	1167-4556	1172-7556*	1154-4556	1163-7556*	1153-4556
GRAPE SEED	Silk mat finish	Tav/Char*	1167-4540	1172-7540*	1154-4540	1163-7540*	1153-4540
STRAW	Silk mat finish	Tav/Char*	1167-4541	1172-7541*	1154-4541	1163-7541*	1153-4541
RAUCHTOPAZ	Silk mat finish	Tav/Char*	1167-4505	1172-7505*	1154-4505	1163-7505*	1153-4505
CRYSTAL WHITE	Silk mat finish	Tav/Char*	1167-4588	1172-7588*	1154-4588	1163-7588*	1153-4588
GREY VELVET	Silk mat finish	Tav/Char*	1167-4574	1172-7574*	1154-4574	1163-7574*	1153-4574
IVORY	Silk mat finish	Tav/Char*	1167-4586	1172-7586*	1154-4586	1163-7586*	1153-4586

ARTS & CRAFTS COLLECTION

COLOR	FINISH	GRADE	3-layer T&G engineered flooring	
			15 × 190 × 600...2100 mm Footage per pack 2.26 m ²	19.05 × 190 × 600...2100 mm Footage per pack 1.86 m ²
VIENNA	Silk mat finish	Char	1172-7519	1163-7519
GENEVA	Silk mat finish	Char	1172-7520	1163-7520
OLD VENICE	Silk mat finish	Char	1172-7521	1163-7521
MARSEILLE	Silk mat finish	Char	1172-7528	1163-7528
LONDON	Silk mat finish	Char	1172-7526	1163-7526
BATISTE	Silk mat finish	Char	1172-7518	1163-7518
BERGEN	Silk mat finish	Char	1172-7546	1163-7546
BIRMINGHAM	Silk mat finish	Char	1172-7568	1163-7568
HELSINGBORG	Silk mat finish	Char	1172-7569	1163-7569
MISTY FJORDS	Silk mat finish	Char	1172-7563	1163-7563
BARCELONA	Silk mat finish	Char	1172-7527	1163-7527
EDINBURGH	Silk mat finish	Char	1172-7570	1163-7570

Technical Information

S&B Select & Better
1C 1 Common
Tav Tavern

Char Character
1N 1 Natur
Trad Traditional

WIDE PLANK FLOORING

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring	
				19.05 x 300 x 2950 mm Footage per pack 1.77 m ²	19.05 x 300 x 600...2950 mm Footage per pack 1.77 m ²
OAK	NATURAL	Silk mat finish	Char	1165-7501	
	SNOWDROP	Silk mat finish	Char	1165-7593	
	MILK CHOCOLATE	Silk mat finish	Char	1165-7517	
	BATISTE	Silk mat finish	Char	1165-7518	
	MARSEILLE	Silk mat finish	Char	1165-7528	
	OLD VENICE	Silk mat finish	Char	1165-7521	
	GRAPE SEED	Silk mat finish	Char	1165-7540	
	VANILLA	Silk mat finish	Char	1165-7508	
	A.W.	NATURAL	Silk mat finish	Char	

CHEVRON COLLECTION

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring													
				15 x 107.95 x 530 mm (45°) Footage per pack 1.72 m ²	15 x 127 x 500 mm (45°) Footage per pack 1.27 m ²	15 x 127 x 548 mm (60°) Footage per pack 1.392 m ²	15 x 82.55 x 490 mm (45°) Footage per pack 1.618 m ²	19.05 x 127 x 500 mm (45°) Footage per pack 1.016 m ²	19.05 x 127 x 548 mm (60°) Footage per pack 1.114 m ²	19.05 x 190 x 438.78 mm (60°) Footage per pack 1.667 m ²							
OAK	NATURAL	Lacquer finish	S&B	1169-1101													
	PASTEL	Silk finish	S&B/1C*	1169-1247	1175-3247*	1176-3247*		1134-3247*	1123-3247*		1183-1247						
	WHITE FROST	Silk finish	S&B					1134-1258	1123-1258								
	ALPINE	Silk mat finish	Tav		1175-4578	1176-4578		1134-4578	1123-4578								
	CHAMBORD	Silk finish	1C	1169-3215								1183-3215					
	ROCKY REEF	Silk finish	Tav	1169-4230	1175-4230	1176-4230		1134-4230	1123-4230			1183-4230					
	MILK CHOCOLATE	Silk finish	1C	1169-3217	1175-3217	1176-3217		1134-3217	1123-3217			1183-3217					
	CHARCOAL	Silk mat finish	Tav	1169-4507								1183-4507					
	AQUA WHITE	Silk mat finish	S&B		1175-1542	1176-1542	1173-1542										
	NATURAL	Silk mat finish	S&B	1169-1501													
	PAYNE'S GREY	Silk mat finish	S&B				1173-1591										
	DAVY'S GREY	Silk mat finish	S&B		1175-1555	1176-1555	1173-1555										
	SPINEL GREY	Silk mat finish	S&B		1175-1567	1176-1567	1173-1567										
	RAW SIENNA	Silk mat finish	S&B		1175-1509	1176-1509	1173-1509										
	TITANIUM BUFF	Silk mat finish	S&B				1173-1531										
ASH	ATLANTIC	Silk mat finish	S&B		1275-1539												
	MOONLIGHT	Silk finish	S&B		1275-1236												
	FRENCH RIVIERA	Silk finish	1C		1275-3257												
	NORMAN BREEZE	Silk finish	1C		1275-3232												
MOCCA	Silk finish	1C		1275-3243													
AMERICAN WALNUT	NATURAL	Lacquer finish	S&B	1369-1101				1334-1101	1323-1101		1383-1101						
	NATURAL	Silk finish	S&B	1369-1201				1334-1201	1323-1201		1383-1201						
	NATURAL	Lacquer finish	Trad	1369-3101				1334-3101	1323-3101		1383-3101						
	NATURAL	Silk finish	Trad	1369-3201				1334-3201	1323-3201		1383-3201						
	SUNSET	Silk mat finish	1N	1369-3566				1334-3566	1323-3566		1383-3566						
	FOGGY DAWN	Silk mat finish	1N	1369-3510				1334-3510	1323-3510		1383-3510						

HERRINGBONE COLLECTION

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring			
				15 x 107.95 x 647.7 mm (90°) Footage per pack 2.1 m ²	15 x 127 x 635 mm (90°) Footage per pack 1.613 m ²	15 x 82.55 x 577.85 mm (90°) Footage per pack 1.908 m ²	19.05 x 127 x 635 mm (90°) Footage per pack 1.29 m ²
OAK	VANILLA	Silk mat finish	S&B	1168-1508			
	CHESTNUT	Lacquer finish	S&B	1168-1104			
	WHITE FROST	Lacquer finish	S&B	1168-1158			
	WHITE FROST	Silk finish	S&B	1168-1258			
	PASTEL	Silk finish	S&B/1C*	1168-1247	1174-3247*		1122-3247*
	ALPINE	Silk mat finish	Tav		1174-4578		1122-4578
	CHAMBORD	Silk finish	1C	1168-3215			
	GREY CASHMERE	Silk finish	Tav	1168-4251			
	ROCKY REEF	Silk finish	Tav	1168-4230	1174-4230		1122-4230
	MILK CHOCOLATE	Silk finish	1C		1174-3217		1122-3217
	CHARCOAL	Silk mat finish	Tav	1168-4507			
	AQUA WHITE	Silk mat finish	S&B		1174-1542	1171-1542	1122-1542
	PAYNE'S GREY	Silk mat finish	S&B			1171-1591	
	DAVY'S GREY	Silk mat finish	S&B		1174-1555	1171-1555	1122-1555
	SPINEL GREY	Silk mat finish	S&B		1174-1567	1171-1567	1122-1567
RAW SIENNA	Silk mat finish	S&B		1174-1509	1171-1509	1122-1509	
TITANIUM BUFF	Silk mat finish	S&B			1171-1531		
ASH	ATLANTIC	Silk mat finish	S&B		1274-1539		
	MOONLIGHT	Silk finish	S&B		1274-1236		
	FRENCH RIVIERA	Silk finish	1C		1274-3257		
	NORMAN BREEZE	Silk finish	1C		1274-3232		
MOCCA	Silk finish	1C		1274-3243			
AMERICAN WALNUT	NATURAL	Lacquer finish	S&B	1368-1101			1322-1101
	NATURAL	Silk finish	S&B	1368-1201			1322-1201
	NATURAL	Lacquer finish	Trad	1368-3101			1322-3101
	NATURAL	Silk finish	Trad	1368-3201			1322-3201
	SUNSET	Silk mat finish	1N	1368-3566			1322-3566
	FOGGY DAWN	Silk mat finish	1N	1368-3510			1322-3510

MOSAIC FLOORING

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring			
				Pattern: BLOIS 19.05 x 635 x 635 mm Footage per pack 1.61 m ²	Pattern: VERSAILLES 19.05 x 635 x 635 mm Footage per pack 1.61 m ²	Pattern: TATTERSHAL 19.05 x 635 x 635 mm Footage per pack 1.61 m ²	Pattern: TRIANON 19.05 x 635 x 635 mm Footage per pack 1.61 m ²
OAK	CEDAR	Silk finish	S&B	1106-1281	1143-1281	1181-1281	1144-1281
	DAVY'S GREY	Silk mat finish	S&B	1106-1555	1143-1555	1181-1555	1144-1555
	SHIBUMI	Silk mat finish	S&B	1106-1582	1143-1582	1181-1582	1144-1582
	TITANIUM BUFF	Silk mat finish	S&B	1106-1531	1143-1531	1181-1531	1144-1531
A. WALNUT	NATURAL	Silk finish	S&B	1306-1201	1343-1201	1381-1201	1344-1201
	NATURAL	Silk finish	Trad	1306-3201	1343-3201	1381-3201	1344-3201

Technical Information

S&B Select & Better
 1C 1 Common
 Tav Tavern

Char Character
 1N 1 Natur
 Trad Traditional

PARQUETRY

COLOR	FINISH	GRADE	3-layer T&G engineered flooring, TILE	3-layer G&G engineered flooring, PYRAMID
			19.05 × 190 × 220 mm Footage per pack 1.257 m ²	19.05 × 190 × 440 mm Footage per pack 1.257 m ²
WHITE FROST	Silk finish	S&B	1193-1258	1194-1258
PASTEL	Silk finish	S&B	1193-1247	1194-1247
CHAMBORD	Silk finish	Tav	1193-4215	1194-4215
GREY CASHMERE	Silk finish	Tav	1193-4251	1194-4251
MILK CHOCOLATE	Silk finish	Tav	1193-4217	1194-4217
ROCKY REEF	Silk finish	Tav	1193-4230	1194-4230
NATURAL	Silk finish	S&B	1393-1201	1394-1201
NATURAL	Silk finish	Trad	1393-3201	1394-3201

SPIRIT OF NATURE COLLECTION

COLOR	FINISH	GRADE	3-layer T&G engineered flooring																	
			Pattern: COFFEE BEAN 15 × 127 × 433.8 mm Footage per pack 2.07 m ²	Pattern: TEALEAF 19.05 × 190 × 350 mm Footage per pack 1.2 m ²	Pattern: DOVETAIL 19.05 × 300 × 2950 mm Footage per pack 1.77 m ²	Pattern: BREZE 19.05 × 635 × 635 mm Footage per pack 1.61 m ²	Pattern: MONTSOREAU 19.05 × 635 × 635 mm Footage per pack 1.61 m ²	Pattern: FONTAINBLEAU 19.05 × 635 × 635 mm Footage per pack 1.61 m ²	Pattern: HELMSLEY 19.05 × 635 × 635 mm Footage per pack 1.61 m ²	Pattern: CHENONCEAU 19.05 × 635 × 635 mm Footage per pack 1.61 m ²	Pattern: CHINON 19.05 × 635 × 635 mm Footage per pack 1.61 m ²									
NATURAL	Silk mat finish	Char			1188-7501															
VANILLA	Silk mat finish	S&B				1159-1508														
BONSAI	Silk mat finish	S&B	1187-1585	1186-1585																
KATANA	Silk mat finish	S&B	1187-1576	1186-1576						1158-1576										
KATANA	Silk mat finish	S&B									1158-1576									
KYOTO	Silk mat finish	S&B	1187-1577	1186-1577																
MARSEILLE	Silk mat finish	S&B								1160-1528										
OKINAWA	Silk mat finish	S&B	1187-1581	1186-1581																
SPINEL GREY / AQUA WHITE / DAWY'S GREY	Silk mat finish	S&B											1155-1587							
SHIBUMI	Silk mat finish	S&B	1187-1582	1186-1582																
FUJI	Silk mat finish	S&B	1187-1579	1186-1579																
HAIKU	Silk mat finish	S&B	1187-1583	1186-1583																
NATURAL	Silk finish	S&B	1387-1201	1386-1201																
NATURAL	Silk finish	S&B																		1356-1201
FOGGY DAWN	Silk mat finish	S&B										1357-1510								

ДЕКОРАТИВНЫЕ ПАНЕЛИ












COLOR	SHEEN	Veneered on MDF base T&G	
		16 × 600 × 600 mm	16 × 600 × 1200 mm
NATURAL	Matte	5015-0512-0201	5015-0509-0201
CHESTNUT	Matte	5015-0512-0204	5015-0509-0204
STONE CREEK	Matte	5015-0512-0225	5015-0509-0225
VANILLA	Matte	5015-0512-0208	5015-0509-0208
CHAMBORD	Matte	5015-0512-0215	5015-0509-0215
PASTEL	Matte	5015-0512-0247	5015-0509-0247
MOONLIGHT	Matte	5025-0512-0236	5025-0509-0236
PEARL GREY	Matte	5025-0512-0245	5025-0509-0245
TIGER EYE	Matte	5025-0512-0244	5025-0509-0244
MOCCA	Matte	5025-0512-0243	5025-0509-0243
NATURAL	Matte	5035-0512-0201	5035-0509-0201
CLASSIC	Matte	5035-0512-0261	5035-0509-0261

ACOUSTIC WALL PANELS

COLOR	SHEEN	DIMENSIONS, mm	Veneered on MDF base			
			30/2/Ø10	29/3/Ø10	14/2/Ø10	13/3/Ø10
NATURAL	Matte	16 × 192 × 2400	5014-0304-0202-01	5014-0304-0402-01	5014-0304-0602-01	5014-0304-0802-01
		16 × 576 × 2400	5014-0404-0202-01	5014-0404-0402-01	5014-0404-0602-01	5014-0404-0802-01
CHESTNUT	Matte	16 × 192 × 2400	5014-0304-0202-04	5014-0304-0402-04	5014-0304-0602-04	5014-0304-0802-04
		16 × 576 × 2400	5014-0404-0202-04	5014-0404-0402-04	5014-0404-0602-04	5014-0404-0802-04
STONE CREEK	Matte	16 × 192 × 2400	5014-0304-0202-25	5014-0304-0402-25	5014-0304-0602-25	5014-0304-0802-25
		16 × 576 × 2400	5014-0404-0202-25	5014-0404-0402-25	5014-0404-0602-25	5014-0404-0802-25
VANILLA	Matte	16 × 192 × 2400	5014-0304-0202-08	5014-0304-0402-08	5014-0304-0602-08	5014-0304-0802-08
		16 × 576 × 2400	5014-0404-0202-08	5014-0404-0402-08	5014-0404-0602-08	5014-0404-0802-08
CHAMBORD	Matte	16 × 192 × 2400	5014-0304-0202-15	5014-0304-0402-15	5014-0304-0602-15	5014-0304-0802-15
		16 × 576 × 2400	5014-0404-0202-15	5014-0404-0402-15	5014-0404-0602-15	5014-0404-0802-15
PASTEL	Matte	16 × 192 × 2400	5014-0304-0202-47	5014-0304-0402-47	5014-0304-0602-47	5014-0304-0802-47
		16 × 576 × 2400	5014-0404-0202-47	5014-0404-0402-47	5014-0404-0602-47	5014-0404-0802-47
NATURAL	Matte	16 × 192 × 2400	5034-0304-0202-01	5034-0304-0402-01	5034-0304-0602-01	5034-0304-0802-01
		16 × 576 × 2400	5034-0404-0202-01	5034-0404-0402-01	5034-0404-0602-01	5034-0404-0802-01
CLASSIC	Matte	16 × 192 × 2400	5034-0304-0202-61	5034-0304-0402-61	5034-0304-0602-61	5034-0304-0802-61
		16 × 576 × 2400	5034-0404-0202-61	5034-0404-0402-61	5034-0404-0602-61	5034-0404-0802-61

COLOR	SHEEN	DIMENSIONS, mm	Veneered on MDF base	
			Ø6	Ø8
NATURAL	Matte	16 × 600 × 600	5014-0512-0902-01	5014-0512-1002-01
		16 × 600 × 1200	5014-0509-0902-01	5014-0509-1002-01
CHESTNUT	Matte	16 × 600 × 600	5014-0512-0902-04	5014-0512-1002-04
		16 × 600 × 1200	5014-0509-0902-04	5014-0509-1002-04
STONE CREEK	Matte	16 × 600 × 600	5014-0512-0902-25	5014-0512-1002-25
		16 × 600 × 1200	5014-0509-0902-25	5014-0509-1002-25
VANILLA	Matte	16 × 600 × 600	5014-0512-0902-08	5014-0512-1002-08
		16 × 600 × 1200	5014-0509-0902-08	5014-0509-1002-08
CHAMBORD	Matte	16 × 600 × 600	5014-0512-0902-15	5014-0512-1002-15
		16 × 600 × 1200	5014-0509-0902-15	5014-0509-1002-15
PASTEL	Matte	16 × 600 × 600	5014-0512-0902-47	5014-0512-1002-47
		16 × 600 × 1200	5014-0509-0902-47	5014-0509-1002-47
NATURAL	Matte	16 × 600 × 600	5034-0512-0902-01	5034-0512-1002-01
		16 × 600 × 1200	5034-0509-0902-01	5034-0509-1002-01
CLASSIC	Matte	16 × 600 × 600	5034-0512-0902-61	5034-0512-1002-61
		16 × 600 × 1200	5034-0509-0902-61	5034-0509-1002-61

AVAILABLE IN ALL COSWICK COLORS AND FINISHES

			SOLID PLANK FLOORING T&G	3-LAYER ENGINEERED T&G FLOORING	3-LAYER SINGLE STRIP COSLOC 5G
			19 mm	19 mm	15 mm
	OAK	Solid engineered			
	ASH	Solid engineered			
	AMERICAN WALNUT	Solid engineered			
	OAK	Solid			
	ASH	Solid			
	AMERICAN WALNUT	Solid			
	OAK	Solid			
	ASH	Solid			
	AMERICAN WALNUT	Solid			
	BIRCH	Solid			

COSWICK COATINGS AND ADHESIVES

COSWICK – OVER 25 YEARS OF DEDICATION TO HARDWOOD FLOORING

Since 1995 Coswick has been creating premium quality hardwood floors of superb and long-lasting performance. The company gained wide manufacturing experience by operating a fully integrated production cycle from logs to readymade prefinished hardwood flooring and became recognized all over the world. We are glad to share our experience with experts and hardwood floors owners as a system of tested products for every stage of hardwood flooring use.

Coswick well-balanced formula and unique quality control system ensure highest quality of primers, adhesives, lacquers, cleaners, renovation and care products suitable for all types of hardwood floors and protective-decorative finishes.

Coswick is dedicated to production of well balanced, high performance, eco-friendly and easy to use products. We are working to make your hardwood flooring everlasting and bringing you joy and happiness.



COSWICK SERVICE KIT

Is designed to clean solid and engineered wood floors that have a lacquer or oil finish. The kit includes a microfiber mop cloth and ready-to-use Coswick Hardwood Cleaner.

Microfiber mop cloth:

- Very effective against dust;
- Highly absorbent and long service life;
- Suitable for machine wash.

Ready-to-use Hardwood Cleaner:

- Perfectly removes fat stains and dirt;
- Supplied for lacquered and oiled Coswick hardwood flooring ;
- Non-abrasive, does not leave stains;
- Has a delicate aroma.

CLEANER FOR HARDWOOD FLOORS

Cleaner is designed for constant maintenance of hardwood flooring. Neutral pH ensures the minimal risk of color changes. Non-abrasive, does not leave stains. Has delicate aroma. Contains 0.5 litres per bottle.

CLEANER CONCENTRATE FOR HARDWOOD FLOORS

Cleaner Concentrate is designed for preparing a Coswick Cleaner for constant maintenance of hardwood flooring. Dilute the cleaner concentrate in 1:50 ratio (i.e. 200 ml of concentrate per 10 l of water).



COSWICK RENEWER OIL FOR OILED AND HARDWAX-OILED HARDWOOD FLOORS

Renewer oil is developed for renovation of hardwood flooring with UV-oil, natural oils or modified alkyd oil finishes. High wear resistance, creates elastic protective film. Recommended for constant renewal and resurfacing of hardwood flooring. Does not require prior sanding.



COSWICK PROTECTIVE WAX FOR OILED AND HARDWAX-OILED HARDWOOD FLOORS

Product is developed for renovation of hardwood floors with natural oil, Hardwax or UV-oil finishes. Product creates an elastic, protective and water-repellent surface film.



TINTED OIL FOR RESTORATION OF OILED AND HARDWAX-OILED HARDWOOD FLOORS

Product is developed for renovation of hardwood floors with natural oil and Hardwax finishes. Product creates an elastic protective film on floor surface after applying.



COSWICK WOOD STAIN

Coswick stain is designed to tone wooden surfaces. Recommended to renovate small scratches, damages and end end grains during the hardwood flooring lifetime exploitation. Suitable for stairs, moldings, wall panels and other.

COSWICK HEAVY DUTY CLEANER FOR HARDWOOD FLOORS

Product is designed to clean hardwood flooring with any type of finish. Recommended for removal of glue or spot residues after hardwood flooring installation. Use Heavy Duty Cleaner periodically during the hardwood flooring lifetime exploitation if any stain spots and contaminations which are hard-to-reach with cleaner for constant maintenance.

REPAIR KIT PROFI

Profi repair kit is a full set of tools designed to remove a minor flaws, scratches and dents that appear during the hardwood flooring lifetime exploitation.

COSWICK WAX FILLER

Ready-to-use wax for quick remove of small damages, scratches and dents, that appear during the hardwood flooring lifetime exploitation. Wax filler is available in all Coswick colors.





COSWICK LTD.

2B Kolasa Str
223 034 Zaslavl
Republic of Belarus
Tel. +375-17-543-2012
Fax: +375-17-543-2020
E-mail: sales@coswick.com

www.coswick.com